

THE SCHOOL FOR EXCELLENCE (TSFX) UNIT 4 MATHEMATICAL METHODS 2006

WRITTEN EXAMINATION 1

Reading Time: 15 minutes Writing time: 1 hour

QUESTION AND ANSWER BOOKLET

Structure of Booklet

Number of questions	Number of questions to be answered	Number of marks
11	11	40

Students are permitted to bring into the examination rooms: pens, pencils, highlighters, erasers, sharpeners, rulers.

Students are **NOT** permitted to bring into the examination room: notes of any kind, a calculator, blank sheets of paper and/or white out liquid/tape.

Students are **NOT** permitted to bring mobile phones and/or any electronic communication devices into the examination room.

All written responses must be in English.

COMPLIMENTS OF THE SCHOOL FOR EXCELLENCE

Voted Number One For Excellence and Quality in VCE Programs and Tutorials.

theschoolforexcellence



THE SCHOOL FOR EXCELLENCE (TSFX)

The School For Excellence (TSFX) is a private educational institution that provides educational services to Year 11 and 12 students out of school hours. Our services include intense revision courses before examinations, intense weekly tuition classes, study skills lectures, as well as specialised courses that prepare students in advance of each school term.

The educational programs conducted by TSFX are widely recognised for providing the highest quality programs in Victoria today. Our programs are the result of 15 years of collaborative effort and expertise from dozens of teachers and schools across the state, ensuring the highest possible quality resources and teaching styles for VCE students.

For additional information, join our complimentary mailing list at www.tsfx.com.au. Alternatively, please call TSFX on (03) 9663 3311 during business hours.

FREE VCE RESOURCES AT VCEDGE ONLINE

VCEdge Online is a new educational resource designed to provide students the best opportunities to optimise their Year 11 or 12 scores. **VCEdge Online** members receive over \$300 worth of resources at no charge, including:

- Subject notes and course summaries.
- Sample A+ SACS and SATS.
- Trial examinations with worked solutions.
- Weekly study tips and exam advice (in the weeks leading up to the examinations)
- Two FREE tickets into an intense examination strategy lecture (valued at \$200!!!).
- Cheat sheets and formula cards.
- Critical VCE updates.
- Free VCE newsletters.
- Information on upcoming educational events.
- And much, much more!!!

JOIN FREE OF CHARGE AT WWW.TSFX.COM.AU

theschoolforexcellence

		_						
ı	n	2+	rı	10	м	$\boldsymbol{\cap}$	n	c
ı		ЭL	ıu		LI	u		-

- Answer **all** questions in the spaces provided.
- A decimal approximation will not be accepted if an exact answer is required to a question.
- In questions where more than 1 mark is available, appropriate working must be shown.
- Unless otherwise indicated, the diagrams in this book are **not** drawn to scale.

\sim 1		ST	\sim		4
	-	> 1		N	1

Let $p(x) = 3x^4 + 4x^3 - 14x^2 - 20x - 5$.

ii) Hence	express $p(x)$	in the form	(3x+1)q(x)	where $q(x)$ i	s a polynomial.	

2 + 1 = 3 marks

		otor of $q(x)$).			
					-	
(ii) He	nce factorise	p(x) cor	mpletely o	ver R.		

1 + 2 = 3 marks

Total 6 marks

A continuous random variable $\,X\,$ has a probability distribution function given by

$$f(x) = \begin{cases} ax & \text{if } 0 < x < b \\ 0 & \text{otherwise} \end{cases}$$

Show that $ab^2 = 2$.				
Find the mean value o	of X in terms of a	a and b .		
	and Liftha magan	value of V is a	aval to 1	
Find the values of a	and p ii the mean	value of A is e	quai to 1.	

1 + 1 + 2 marks

Total 4 marks

Find in exact form all real solutions to the equation $2^{3x} + 2^{2x} - 2^{-x} = 1$.	
ind in exact form all real solutions to the equation $z + z = 1$.	
	O
	3 mark
RUESTION 4	
For the function $f:(-\infty,0] \to R$ with rule $f(t) = \frac{3t}{1-t}$ find the rule for the in	overse function
For the function $f:(-\infty,0] \to R$ with rule $f(t) = \frac{3t}{t^2 + 1}$, find the rule for the in	iverse function

a. Show that the derivative of $\frac{\cos^2 x}{x}$ is equal to $\frac{-2x\sin x\cos x - \cos^2 x}{x^2}$.

b. Hence show that the curve $y = \frac{\cos^2 x}{x}$ has stationary points at (a, 0), where

 $a = \frac{(2n+1)\pi}{2} \text{ and } n \in J.$


the solutions to the equation $2x \tan(x) = -1$.	

3 + 1 + 1 marks

Total 5 marks

The line $y = \frac{x}{2} - 1$ is normal to the curve $y = bx^4 + 1$. Find the exact value of b .

a. Sketch the graph of the function $f:[-\pi, 3\pi] \to R$ with rule $f(x) = \cos\left(\frac{x}{2}\right)$ on the set of axes below.




- **b.** On the same set of axes, sketch the graph of y = |2f(x)|.
- **c.** Hence find the exact area of the region bounded by the two curves.

1 + 1 + 2 marks

Total 4 marks

QUESTION 8
Let $f(x) = x^4 - x$ and $g(x) = 16x^4 + 2x + 1$.
State in correct order the transformations necessary to obtain the graph of $g(x)$ from the graph of $f(x)$.

Grain is falling from the shute of a large storage container at a rate of $0\cdot 3\,$ m 3 /min . The grain forms a heap on a flat horizontal floor in the shape of a right circular cone of semi-vertical angle 45° .



a. Show that the exact height of the cone 30 minutes after the shute is first opened is $\frac{3}{\frac{1}{3}}$.

$\pi^{r,3}$		

one is increas	ing 30 minute	s after the sh	ute is first op	ch the he
	3			

2 + 3 marks

Total 5 marks

person is living in the country one year the probability of that person living in the city the
following year is $\frac{1}{7}$. If a person is living in the city one year the probability of that person
living in the country the following year is $\frac{1}{10}$.
Find the exact probability that a person who is currently living in the country will be living in the city in two years time.

The probability of obtaining a particular number of dots (the score), $\, X \,$, on the uppermost face of a biased die is shown in the following table.

x	1	2	3	4	5	6
Pr(X = x)	p	$\frac{1}{7}$	3 <i>p</i>	3 <i>p</i>	4 <i>p</i>	p

f a score greater tha ess than 5.	in 2 was rolled, find the exact probability that the score was
f a score greater tha ess than 5.	n 2 was rolled, find the exact probability that the score was
f a score greater tha ess than 5.	in 2 was rolled, find the exact probability that the score was
f a score greater tha ess than 5.	n 2 was rolled, find the exact probability that the score was
f a score greater tha ess than 5.	in 2 was rolled, find the exact probability that the score was

Total 2 marks

END OF QUESTION AND ANSWER BOOKLET

BONUS QUESTION

QUESTION 12

	1
Hence find an anti-derivative of xe^{-x} .	'

$f(x) = \begin{cases} \frac{3}{2} e^{-x} & \text{if } 0 < x < \log_e 3 \\ 0 & \text{otherwise} \end{cases}$	
(i) Find in the form $a - \log_e b$, where a and b are constants, the mean value	Θ of X .
	3 mark
(ii) Find in the form $\log_e c$, where c is a constant, the median value of X .	
Total	2 mark

A continuous random variable \boldsymbol{X} has a probability distribution function given by

C.