

# Year 12 Trial Exam Paper 2016

# MATHEMATICAL METHODS

# Written examination 1

Reading time: 15 minutes Writing time: 1 hour

## **STUDENT NAME:**

# **QUESTION AND ANSWER BOOK**

## Structure of book

Number of questions	Number of questions to be answered	Number of marks
10	10	40

- Students are permitted to bring the following items into the examination: pens, pencils, highlighters, erasers, sharpeners and rulers.
- Students are NOT permitted to bring blank sheets of paper, notes of any kind or correction liquid/tape into the examination.
- Calculators are NOT permitted in this examination.

#### **Materials** provided

- Question and answer book of 11 pages with a separate sheet of miscellaneous formulas.
- Working space is provided throughout this book.

### **Instructions**

- Write your name in the box provided.
- Remove the formula sheet during reading time.
- Unless otherwise indicated, the diagrams in this book are not drawn to scale.
- You must answer the questions in English.

# Students are NOT permitted to bring mobile phones or any other unauthorised electronic devices into the examination.

This trial examination produced by Insight Publications is NOT an official VCAA paper for the 2016 Mathematical Methods written examination 1.

The Publishers assume no legal liability for the opinions, ideas or statements contained in this trial exam.

This examination paper is licensed to be printed, photocopied or placed on the school intranet and used only within the confines of the purchasing school for examining their students. No trial examination or part thereof may be issued or passed on to any other party, including other schools, practising or non-practising teachers, tutors, parents, websites or publishing agencies, without the written consent of Insight Publications.

## **Instructions**

Answer all questions in the spaces provided.

Provide exact answers to all questions where a numerical answer is required, unless otherwise stated.

In questions where more than one mark is available, appropriate working **must** be shown.

Unless otherwise indicated, the diagrams in this book are **not** drawn to scale.

**Question 1** (4 marks)

a.	If $y = x^3 \cos(x)$ , find	$\frac{dy}{dx}$ .
----	-----------------------------	-------------------

2 marks

b.	If $f(x) = \sqrt{2-x^2}$ , find	f'(1)
----	---------------------------------	-------

2 marks

Question 2 (2 marks)

For 
$$x > \frac{2}{3}$$
, let  $\int_{4}^{7} \frac{3}{3x - 2} dx = \log_e(k)$ .


Find the value of k.


**Question 3** (2 marks)

Solve $\sqrt{2}\sin\left(2\pi x + \frac{\pi}{4}\right) - 1 = 0$ , where $0 \le x \le 1$ .	

## **Question 4** (3 marks)

Parts of the graphs of functions  $f(x) = 9^x - 9$  and  $g(x) = 8(3^x)$  are shown below.



The graphs intersect at the point labelled A. Find the coordinates of A.

Question	5	(2	marks)

Solve  $\log_e(x) - 4 = \log_e(x+6)$  for x, where x > 0.

Question 6 (7 marks)

Consider the function  $f:(-1,5] \to R$ ,  $f(x) = \frac{1}{5}x^3(x-4)$ .

**a.** Find the coordinates of the stationary points of the function.


2 marks


\_\_\_\_\_

**b.** On the axes below, sketch the graph of f.

Label end points, stationary points and axial intercepts with their coordinates.

3 marks



2

**Question 7** (3 marks)

When  $f'(x) = 3\sin(x) - \cos\left(\frac{x}{2}\right)$  and  $f\left(\frac{\pi}{3}\right) = 1$ , find f(x).

## **Question 8** (6 marks)

A fish tank contains eight gold and eight red fish.

Let p be the proportion of red fish in the tank. A sample of three fish is taken from the tank without replacement.

What are th	e possible values of the sample proportion $\hat{p}$ of red fish in the sample?	
		1
	the probability that the proportion of red fish in the sample is more	
than 0.25.		2 ı
		<i>L</i> 1

Find $\Pr\left(\hat{p} = \frac{1}{3}   \hat{p} > \frac{1}{4}\right)$ .	3

## **Question 9** (5 marks)

b.

A continuous random variable, X, has a probability density function

$$f(x) = \begin{cases} \frac{\pi}{2} \sin\left(\frac{\pi x}{2}\right) & \text{when } x \in [0, a] \\ 0, & \text{otherwise} \end{cases}.$$

Find the value of <i>a</i> .		2

Given that $\frac{d}{dx}\left(x\cos\left(\frac{\pi x}{2}\right)\right) = \frac{-\pi x}{2}\sin\left(\frac{\pi x}{2}\right) + \cos\left(\frac{\pi x}{2}\right)$ , find $E(X)$ .	
	3 marks
	<del></del>

# Question 10 (6 marks)

of a.		3 r
		<del></del>
For this value of a find	I the area bounded by the graph, the tangent and the r-axis	
For this value of <i>a</i> , find	If the area bounded by the graph, the tangent and the x-axis.	  3 1
For this value of <i>a</i> , find	If the area bounded by the graph, the tangent and the x-axis.	3 r
For this value of <i>a</i> , find	If the area bounded by the graph, the tangent and the x-axis.	3 r
For this value of <i>a</i> , find	I the area bounded by the graph, the tangent and the x-axis.	3 r
For this value of <i>a</i> , find	I the area bounded by the graph, the tangent and the x-axis.	3 r
For this value of <i>a</i> , find	If the area bounded by the graph, the tangent and the x-axis.	3 r
For this value of <i>a</i> , find		
For this value of a, find	If the area bounded by the graph, the tangent and the x-axis.	
For this value of a, find		

# END OF QUESTION AND ANSWER BOOK